



Dollamur is Proud to Support the Sport of Wrestling World-wide

STATE HIGH SCHOOL CHAMPIONSHIPS:

- California
- Colorado
- Florida
- Kansas
- Maryland
- Minnesota
- Missouri
- Nebraska
- New Jersey
- Oklahoma
- Tennessee
- Texas
- Utah
- Washington

DOLLAMUR COMPETITION MATS ARE USED AT:

- 2019 Tulsa Nationals
- 2018 & 2019 USAW Cadet & Junior National Championships
- 2018 AAU Disney Duals
- 2018 University of North Carolina Wrestling Camp
- 2018 Oklahoma State University Wrestling Camp
- 2018 Sunflower State Games
- 2017 NAIA National Championships
- 2017 Women's Nationals
- 2017 Paris Golden Grand Prix
- 2017 African Continental Championships
- 2016 Juniors World Championships
- 2015 Pan Am Games
- 2014-15-16 Oceania Continental Championships
- 2014-15-16-17-18 Freestyle World Cup

DOLLAMUR WRESTLING CONTACTS

NORTH REGION

IA, IL, IN, KS, KY, MI, MN, MO, ND, NE, OH, SD, WI

Troy Reiter

troy@dollamur.com
Phone: 833-311-4530

Vinny Barber

vbarber@dollamur.com
Phone: 833-311-4531

NY & NJ REGION

NJ, NY
Coaches Corner

Sonny Greenhalgh

SonnyCoachesCorner@gmail.com
Phone: 833-311-4532

Jason Bross

JasonCoachesCorner@gmail.com
Phone: 833-311-4533

EAST REGION

CT, DC, DE, MA, MD, ME, NH, PA, RI, VA, VT, WV

Evvie Sams:

evvie@dollamur.com
Phone: 877-790-2108

Vinny Barber:

vbarber@dollamur.com
Phone: 833-311-4531

DEALER SALES

682-312-3356
Oriana Gonzalez

SOUTH REGION

AL, AR, FL, GA, LA, MS, NC, OK, SC, TN, TX

Evvie Sams:

evvie@dollamur.com
Phone: 877-790-2108

Vinny Barber:

vbarber@dollamur.com
Phone: 833-311-4531

SOUTH WEST REGION

AZ, SO.CA, CO, NM, NV, UT

Mark Olton:

molton@dollamur.com
Phone: 804-615-5027

David Torres:

dtorres@dollamur.com
Phone: 800-662-4616

NORTH WEST REGION

AK, NO.CA, HI, ID, MT, OR, WA, WY

David Torres:

dtorres@dollamur.com
Phone: 800-662-4616

Mark Olton:

molton@dollamur.com
Phone: 804-615-5027

INTERNATIONAL SALES

954-643-0850

Jean-Francois Court:
jfcwrestling@hotmail.com

CORPORATE OFFICE AND FACTORY

800-520-7647

Chuck Thompson, Vice President of Wrestling:
chuck@dollamur.com



Like us on Facebook at
DOLLAMUR SPORT SURFACES



Follow us on Twitter at
@Dollamur

DOLLAMUR®

SPORT SURFACES

WRESTLING PRODUCTS



Competition Mats :: Wall Pads :: Post Pads :: Home Mats :: Cleaning & Accessories

Official
Mat of



USA
WRESTLING

**BUILT-IN
CONNECTION**
VIRTUALLY SEAMLESS
SAVE TIME AND MONEY!



ALL SMOOTH, SOFT VINYL

PATENTED

FLEXI-CONNECT®

GO TAPE-LESS!

The FIRST and ONLY All Vinyl, Tape-less Mat Surface System On The Market

- **SAVE Hundreds!** Never buy mat tape again
- Easy to clean and maintain
- Eliminates unsafe gaps
- No additional hardware or tools required to install mats
- Reduces your setup and tear down time to minutes
- Includes the Dollamur original FLEXI-Roll® technology

DOLLAMUR®



Official
Mat of



USA
WRESTLING

FLEXI-CONNECT® Wrestling Mat

Dollamur patented **FLEXI-Connect®** Wrestling mat connection system has revolutionized the mat industry by eliminating the need for mat tape. With a built-in hook and loop system you can reduce setup and tear down time to just minutes. Light weight, durable and anti-microbial. Add **FLEXI-Connect®** to your Dollamur **FLEXI-Roll®** mats to get the **BEST** connection and the **BEST** performance.

Example:

A 42'x 42'x 1-5/8" Navy Mat with FLEXI-Connect®: 7 rolls of 158SNVYA42FC

Mat Thickness	Size	SKU	Mat Thickness	Size	SKU
1 5/8"	42' x 42'	158ScccA42FC	1 7/8"	42' x 42'	178ScccA42FC
	42' x 40'	158ScccA40FC		42' x 40'	178ScccA40FC
	42' x 38'	158ScccA38FC		42' x 38'	178ScccA38FC
	36' x 36'	158ScccA36FC		36' x 36'	178ScccA36FC
	30' x 30'	158ScccA30FC		30' x 30'	178ScccA30FC
	24' x 24'	158ScccA24FC		24' x 24'	178ScccA24FC
	18' x 18'	158ScccA18FC		18' x 18'	178ScccA18FC

Custom sizes & colors available by request. Call for a **QUOTE!**

FLEXI-ROLL® Wrestling Mat - The Original

The Dollamur **FLEXI-Roll®** mat is the ultimate, American Made wrestling mat. Dollamur mats are manufactured using the latest in athletic foam technology. The closed-cell, cross-linked foam provides maximum shock absorption and will never harden or shrink allowing mats to maintain performance throughout their life. Each roll is 6 feet wide, and is available in 1-5/8" and 2" thickness.

BENEFITS

- Quick and easy installation
- High performance athletic foam for exceptional shock absorption
- Permanent vinyl bond
- Thick, durable, anti-microbial vinyl will never crack

Example:

A 42'x 42'x 1-5/8" Navy Mat: 7 rolls of 158SNVYA42

Mat Thickness	Size	SKU	Mat Thickness	Size	SKU
1 5/8"	42' x 42'	158ScccA42	1 7/8"	42' x 42'	178ScccA42
	42' x 40'	158ScccA40		42' x 40'	178ScccA40
	42' x 38'	158ScccA38		42' x 38'	178ScccA38
	36' x 36'	158ScccA36		36' x 36'	178ScccA36
	30' x 30'	158ScccA30		30' x 30'	178ScccA30
	24' x 24'	158ScccA24		24' x 24'	178ScccA24
	18' x 18'	158ScccA18		18' x 18'	178ScccA18

Custom sizes & colors available by request. Call for a **QUOTE!**

Mat Color Chart

Use 3-digit Code **ccc**



FLEXI-WALL™ Pads

DOLLAMUR®



PANEL WALL Pads - Column & Corner Pads

Wood backed PANEL WALL Pads, Column Pads and Corner Pads are available in smooth vinyl and a variety of colors.

PANEL WALL PADS

2" Thick with 1" Top Lip

Select *Color, Height x Width*

SKU: RWP200ScccHXWL

CORNER PADS

Select *Color, Height x Width x Width*

SKU: RCP200ScccHXWXWL


COLUMN PADS

3-Sided Column, Select *Color, Height x Side1 x Side2 x Side3*

SKU: RPP200ScccHXS1XS2XS3L

Height	Width
24"	12"
36"	18"
48"	24"
60"	30"
72"	36" (panels only)
84"	

Height	Width: Side 1	Width: Side 2	Width: Side 3
24"	6"	12"	6"
36"	12"	18"	12"
48"		24"	
60"			
72"			
84"			
COLORS: RED RBL BLK LGR GLD WHT			



Wrestling Rooms featuring FLEXI-WALL™ Pads and Post Pads

Install **FLEXI-Wall™** Pads in your gym or wrestling room in less time than ever! Dollamur **FLEXI-Wall™** Pads roll out like your floor mats so you can pad an entire space in no time. Wall pads are available in ANY height by ANY length allowing you to go as long and high as needed. Give any training center a clean, well designed appearance and provide a forgiving cushion that keeps athletes and competitors safe.

As the largest manufacturer of wrestling mats and wall pads, we take great pride in providing innovative and durable sport surfaces for our clients.

BENEFITS

- Quick and easy installation
- High performance athletic foam for exceptional shock absorption
- Semi-permanent installation
- No more time consuming panels
- On-line Mat and **FLEXI-Wall™** pad designer

FLEXI-Wall™ Pads



FLEXI-Wall™ Pads are available in 1", 1-1/4", 1-5/8" or 2" thickness.

Note: Standard roll height is 6'.

6'H x 1" Pad - FWP100ScccA6

6'H x 1-1/4" Pad - FWP114ScccA6

6'H x 1-5/8" Pad - FWP158ScccA6

6'H x 2" Pad - FWP178ScccA6

*Custom sizes and colors available. Call for Quote.

FLEXI-Wall™ Pads - Corner Pads & End Caps



FLEXI-Wall™ Pads allow you to give your wall a finished, smooth look.

End Caps measure 8" wide - left or right. **Corner Pads** are 8" wide on each side of the outside corner.

CORNER PADS: Example 1-1/4" thickness
6'H x 1-1/4" Pad - FWP114ScccAOC

END CAPS: Example 1-1/4" thickness, Right end
6'H x 1-1/4" Pad - FWP114ScccARE

FLEXI-Pole™ Pads - Hexagon Pads



Available in 4", 5", 6", 7", 8", 9", and 10" diameters and all mat colors.

Call for larger sizes, custom colors and optional lettering.

SKU:

4" Poles - FPP114ScccA6X4HEX

5" Poles - FPP114ScccA6X5HEX

6" Poles - FPP114ScccA6X6HEX

7" Poles - FPP114ScccA6X7HEX

8" Poles - FPP114ScccA6X8HEX

9" Poles - FPP114ScccA6X9HEX

10" Poles - FPP114ScccA6X10HEX

FLEXI-Pole™ Pads - Square Pads



Available in 4", 5", 6", 7", 8", 9", and 10" diameters and all mat colors.

Call for larger sizes, custom colors and optional lettering.

SKU:

4" Poles - FPP114ScccA6X4

5" Poles - FPP114ScccA6X5

6" Poles - FPP114ScccA6X6

7" Poles - FPP114ScccA6X7

8" Poles - FPP114ScccA6X8

9" Poles - FPP114ScccA6X9

10" Poles - FPP114ScccA6X10

FLEXI-Wall™ Color Chart

Use 3-digit Code *ccc*



Navy Blue
NVY



Red
RED



Royal Blue
RBL



Black
BLK



Light Grey
LGR



Charcoal Grey
CGR



Purple
PRP



Orange
ORG



Brown
BRN



Gold
GLD



Dark Green
DGN



Maroon
MRN



White
WHT



Carolina
Blue

Personal Mats

for Home or School Use

FLEXI-CONNECT®



FLEXI-CONNECT® 10'x10' HOME WRESTLING MAT

Practice at home, on-the-go or for extra practice space with a lightweight, easy handling FLEXI-Connect® mat. The Dollamur 10' x 10' x 1-1/4" mat has the same great performance, high quality sports foam, and anti-microbial vinyl surface as the mats you compete on and comes with a one-year warranty.

COLORS:



SKU:

114SNVYA10X10FCC - NAVY BLUE
114SBLKA10X10FCC - BLACK
114SREDA10X10FCC - RED
114SRBLA10X10FCC - ROYAL BLUE

**BUILT-IN
CONNECTION**
VIRTUALLY SEAMLESS
SAVE TIME AND MONEY!



ALL SMOOTH, SOFT VINYL



FLEXI-ROLL® 10'x10' HOME WRESTLING MAT

The Dollamur Wrestling FLEXI-Roll® Home Mat is available in 10' x 10' x 1-1/4" with high quality sports foam, durable anti-microbial vinyl surface and comes with a one-year warranty. The FLEXI-Roll® feature makes use and storage easy. Mat includes two storage straps and one roll of 3" clear mat tape.

COLORS:



SKU:

114SNVYA10X10C - NAVY BLUE
114SBLKA10X10C - BLACK
114SREDA10X10C - RED
114SRBLA10X10C - ROYAL BLUE



OFFICIAL MAT OF USA WRESTLING

USA WRESTLING members receive 10% discount on all personal mats. Use code USAW10 at check-out.

DOLLAMUR®

SPORT SURFACES

FLEXI-CONNECT®



FLEXI-CONNECT® 10'x10' HOME WRESTLING MAT

No Marks

The Dollamur 10' x 10' x 1-1/4" mat has no marks or circles. Comes with a one-year warranty. Mat includes two 5' x 10' mats with built-in FLEXI-Connect® system and two mat straps for easy storage.

COLORS:



SKU:

114SNVYA10X10FC - NAVY BLUE
114SBLKA10X10FC - BLACK
114SREDA10X10FC - RED
114SRBLA10X10FC - ROYAL BLUE

**NO SEPARATE
TAPE NEEDED
SET UP IN MINUTES**



ALL SMOOTH, SOFT VINYL



FLEXI-ROLL® 10'x10' HOME WRESTLING MAT -

No Marks

The Dollamur 10' x 10' x 1-1/4" mat is two 5' x 10' mats. Mat includes two storage straps and one roll of 3" clear mat tape to join mats together.

COLORS:



SKU:

114SNVYA10X10 - NAVY BLUE
114SBLKA10X10 - BLACK
114SREDA10X10 - RED
114SRBLA10X10 - ROYAL BLUE



FLEXI-ROLL® 5'x10' HOME MAT - No Marks

Dollamur 5' x 10' x 1-1/4" mats are the perfect mat for a workout or to enlarge a workout area mats. Each mat includes one mat strap.

COLORS:



SKU:

114SNVYA5X10 - NAVY BLUE
114SBLKA5X10 - BLACK
114SREDA5X10 - RED
114SRBLA5X10 - ROYAL BLUE

GoFitTurf™ - All-Around Fitness Turf

ADD
LOGOS, LADDERS
& HASH MARKS
CALL FOR INFO!



High performance quality that is durable and safe with no rubber infill for easy maintenance. GoFitTurf™ can help take your functional fitness training to the next level and add value to your gym. Agility training is a core fitness routine for athletes in all sports. Approved for weighted, push/pull sleds. 3/4" pile height reacts naturally with an almost perfect 50/50 blend of nylon and polyethylene. 15 color options

- Semi-Permanent or portable install
- Add inlaid hash marks, agility ladders and logos. No paint to flake off.
- Perfect for fitness, sleds and weight rooms, agility training

DOLLAMUR MATS - TRUSTED BY THE PROS

"I only trust one mat on the floors of my Academies and it's Dollamur."

BEN ASKREN

Askren Wrestling Academy

4x All-American Champion, 3x Big XII Champion, 2x NCAA Champion, Olympic Athlete, Bellator MMA Welterweight Champion



**Shown above: Floor mats are FLEXI-Connect®, FLEXI-Wall™ Pads with custom logos.*

LOGOS and LETTERING




TRY OUR ONLINE
WRESTLING MAT
and **FLEXI-WALL™ PAD**
DESIGNER

We love painting circles, but we really love custom mats that feature logos and lettering. Dollamur employs some of the most talented artists in the industry to reproduce your school mascots, sponsor logos, colors and lettering making your mats come alive.

We invite you to try our **Online Wrestling Mat and FLEXI-Wall™ Pad Designer** for your next wrestling room. The Designer features the most common mat sizes and has an extensive logo library to assist. Need assistance designing your new mat? We provide that too--at no cost. Call us for a **FREE Quote and Design Assistance**.

BENEFITS

- In-House Artists
- FREE Quotes
- FREE Design Assistance
- On-line Wrestling Mat and FLEXI-Wall™ Pad Designer
- Large selection of logos
- We can match PMS colors



* Standard and custom art charges apply. Call for quote.

FIT-TECH™

FLOORING By DOLLAMUR



HIGH PERFORMANCE ATHLETIC
ROLL and INTERLOCKING TILE
RUBBER FLOORING

ROLL FLOORING

Durable, Virtually Seamless Shock Absorbing Flooring


FIT-TECH™
FLOORING By DOLLAMUR

The FIT-TECH™ composite roll flooring offers wear resistance and stable footing making it the ultimate choice for top training facilities.

48" wide roll x ANY length, fit wall-to-wall

**COLOR
DENSITY
10%**

1/4"
THICKNESS




BLACK
FTROLBLK14-48



GREY10
FTROL10GRY14-48




BLUE10
FTROL10BLU14-48



BLACK
FTROLBLK16-48



GREY10
FTROL10GRY16-48



BLUE10
FTROL10BLU16-48



BLUE-GREY10
FTROL10BLUGRY16-48



TAN10
FTROL10TAN16-48



BRICK10
FTROL10BRK16-48



BLACK
FTROLBLK16-48




GREY10
FTROL10GRY38-48



BLUE10
FTROL10BLU38-48



BLUE-GREY10
FTROL10BLUGRY38-48



TAN10
FTROL10TAN38-48



BRICK10
FTROL10BRK38-48



GREEN10
FTROL10TAN38-48



YELLOW10
FTROL10YEL38-48



PURPLE10
FTROL10PRP38-48

**COLOR
DENSITY
20%**

3/8"
THICKNESS



GREY20
FTROL20GRY38-48



BLUE20
FTROL20BLU38-48



RED20
FTROL20RED38-48



BROWN20
FTROL20BRN38-48



GOLD20
FTROL20GLD38-48



WHITE20
FTROL20WHT38-48



GREY-WHITE-BLUE20
FTROL20GWB38-48

**COLOR
DENSITY
35%**

3/8"
THICKNESS



GREY35
FTROL35GRY38-48



BLUE35
FTROL35BLU38-48



GREEN35
FTROL35GRN38-48



RED35
FTROL35RED38-48




TAN35
FTROL35TAN38-48

**COLOR
DENSITY
95%**

5/32"
THICKNESS



BROWN95
FTROL95BRN532-48




GREY-TAN95
FTROL95GRYTAN532-48




CHARCOAL GREY95
FTROL95CGR532-48



RED95
FTROL95RED532-48



TAN95
FTROL95TAN532-48



GREY95
FTROL95GRY532-48


RUBBER TILES

Flexible, Easy to Install Tile Flooring

FIT-TECH™
FLOORING By DOLLAMUR™

Dollamur® FIT-TECH™ Interlocking and Square Rubber Tiles are an easy to install, durable alternative for your sport flooring needs. FIT-TECH™ Tiles can be laid over sub-floors or finished floors without adhesive.

SELECT YOUR TILE:
CENTER, CORNER,
EDGE or SQUARE



COLOR
DENSITY
10%

3/8"
THICKNESS



BLACK
FTPUZBLK38-24



GREY10
FTPUZ10GRY38-24



BLUE10
FTPUZ10BLU38-24



TAN10
FTPUZ10TAN38-24



BRICK10
FTPUZ10BRK38-24

COLOR
DENSITY
35%

3/8"
THICKNESS



GREY35
FTPUZ35GRY38-24



BLUE35
FTPUZ35BLU38-24



GREEN35
FTPUZ35GRN38-24



RED35
FTPUZ35RED38-24



TAN35
FTPUZ35TAN38-24

COLOR
DENSITY
10%

1"
THICKNESS



BLACK
FTPUZBLK1-24



GREY10
FTPUZ10GRY1-24



BLUE10
FTPUZ10BLU1-24



TAN10
FTPUZ10TAN31-24



BRICK10
FTPUZ10BRK1-24

COLOR
DENSITY
35%

1"
THICKNESS



GREY35
FTPUZL35GRY1-24



BLUE35
FTPUZ35BLU1-24



GREEN35
FTPUZ35GRN1-24



RED35
FTPUZ35RED1-24



TAN35
FTPUZ35TAN1-24

COLOR
DENSITY
95%

1"
THICKNESS



BROWN95
FTPUZL95BRN1-24



GREY-TAN95
FTPUZL95GRYTAN1-24



CHARCOAL GREY95
FTPUZL95CGR1-24



RED95
FTPUZL95RED1-24



TAN95
FTPUZL95TAN1-24



GREY95
FTPUZL95GRY1-24

Available in Square
only

REDUCER - 1"x 4"x48"	Black FTRAMPBLK1-48	10% COLOR FTRAMP10ccc1-48	35% COLOR FTRAMP35ccc1-48	95% COLOR FTRAMP95ccc1-48
ADA RAMP	FTRAMPBLK1-48ADA			
ADHESIVE	PU350ADHESIVE-2.5G	PU350ADHESIVE-5G		
DOWEL	FT DOWELS			
DOWEL TOOL	FT DOWELTOOL			

Note: PU350 adhesive for Rubber flooring has a coverage area of 90 square feet per gallon with a 1/16" trowel.

SPECIFICATIONS

Roll Flooring

Standard Roll Width:	48" (1.22m)
Standard Reducer Dimensions:	1" X 4" x 48"
Standard Reducer Weight:	4 lbs. per reducer
ADA Reducer Dimensions:	1" X 12" x 48"
ADA Reducer Weight:	14 lbs. per reducer

PRODUCT PERFORMANCE

Density	ASTM D3676 (top layer)	65 - 80 pcf (depends on surface color)
Hardness	ASTM D2240 (Shore A)	65 +/- 5
Tear Strength	ASTM D624	70 pli min
Elongation	ASTM D412	> 150%
Tensile Strength	ASTM D412	> 200 PSI
Resistance to Chemicals	ASTM F925	No Change
Coefficient of Friction	ASTM D2047	> 0.95
Impact Insulation	Class (IIC) E492	> 50
Critical Radiant Flux	ASTM E648	Class II
LEED Qualification	Qualifies for Material and Resources Credit	

Interlocking and Square Tiles

Density	ASTM D3676	60 pcf
Hardness	ASTM D2240 (Shore A)	65 +/- 5
Tear Strength	ASTM D624	80 pli min
Elongation	ASTM D412	> 145%
Tensile Strength	ASTM D412	> 220 PSI
Flexibility	ASTM F137	1/4" Mandrel Pass
Resistance to Chemicals	ASTM F925	No Change
LEED Qualification	Qualifies for Material and Resources Credit	

FIT-TECH™
FLOORING By DOLLAMUR



ACCESSORIES and Supplies



OFFICIAL MAT OF USA WRESTLING

USA WRESTLING members receive 10% discount on all personal mats



Dollamur Mop Kit - 24", 48" or 60"

Keep your mats clean, disinfected and maintain your Mat Warranty with the Dollamur Mop Kit. Each kit includes 1 Quart Concentrated Mat Attack!™ Professional Mat Cleaner, Mop with Handle, 2 Microfiber Dry Pads and 1 Microfiber Wet Pad.

24" Wide Mop Kit	CS-KIT24
48" Wide Mop Kit	CS-KIT48
60" Wide Mop Kit	CS-KIT60




MAT ATTACK!™ Professional Mat Cleaner

TOP
RATED
PRODUCT

One Quart Bottle (Makes 16 gallons of cleaner)
CS-CLEANER-QT


One Gallon Bottle (Makes 64 gallons of cleaner)
CS-CLEANER-GAL



Mat Mops 24", 48" or 60"

24" Wide Mop	CS-MOP24
48" Wide Mop	CS-MOP48
60" Wide Mop	CS-MOP60

* Pads not included



Microfiber Mop Pads Wet or Dry

24" Dry Mop Pad	CS-DRYPAD24
24" Wet Mop Pad	CS-WETPAD24
48" Dry Mop Pad	CS-DRYPAD48
48" Wet Mop Pad	CS-WETPAD48
60" Dry Mop Pad	CS-DRYPAD60
60" Wet Mop Pad	CS-WETPAD60

DOLLAMUR®

SPORT SURFACES



Clear Mat Tape 3-Pack

3" Wide Clear Mat Tape
4" Wide Clear Mat Tape

TC-3IN-3PK
TC-4IN-3PK



Clear Mat Tape by the Case

3" Wide Clear Mat Tape
4" Wide Clear Mat Tape

TC-3IN-24PK
TC-4IN-18PK



Mat Repair Kit

Select Your Color Mat
Smooth - REPKIT-Sccc
Tatami - REPKIT-Tccc



Storage Straps


6' Strap
12' Strap

MATSTRAPS
PKSTRAP-12



Storage Bags

For Large Mats ACC-BAG



Landing Pads



RLP-RBL - ROYAL BLUE
RLP-BLK - BLACK
RLP-RED - RED



Folding Mats



Built-in hook & loop connection on all sides
4' x 8' - RFM-RBL-4X8
5' x 10' - RFM-RBL-5X10
6' x 12' - RFM-RBL-6X12