



SPORTS VENUE PADDING INC

MULTI-SPORT



FOOTBALL • BASEBALL • BASKETBALL
INDOOR TRAINING • FITNESS



Sports Venue Padding is a company with over 50 years of experience in the sports protective padding industry. We are not just about sports. We are about player safety, and we never compromise on aesthetics or quality. We offer the industry's broadest range of best-in-class products, including in-house design, engineering, and factory-trained installation teams, unmatched customer service, and a promise of complete satisfaction.

When you watch a professional sports game, chances are you're seeing our padding in action, protecting players in high-impact areas of indoor and outdoor sports facilities. Our expertise lies in fitting sports padding to the unique characteristics of facility walls, fences, rails, posts, columns, gates, and other contact areas. Our customers keep coming back because we tackle unique construction challenges that our competitors shy away from. Just ask any of the professional ball clubs, universities, or municipalities we've had the privilege to work with.

Our background in developing innovative padding solutions makes us an asset to your team! Large format **integrated digital printing** provides a brilliant, oversized, clear image of your logo or sponsor ad that stands out and has extreme durability—none of the chipping or peeling that is common with applied decals.

As a Technical Expert Advisor to ASTM (American Society of Testing Materials), we help define what materials and foam densities best serve an athlete making contact with sports padding while in motion.

Let us show you the Sports Venue Padding difference.



www.SportsVenuePadding.com
P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com



CATALOG CONTENTS

4 - 5	Football
6 - 7	Baseball ▪ Softball
8 - 9	Backstop Padding
10	Baseline ▪ Bullpen ▪ Dugout Padding
11	Windscreen & Field Signage
12 - 13	Rail Padding
14 - 15	Gate & Door Padding
16 - 17	Sponsorship Advertising
18 - 20	Indoor Wall Padding
21	Corners ▪ Cut-outs
22 - 23	Post ▪ Goal Padding and Wraps
24	Column ▪ I-Beam Padding
25	Custom Padding
26	Fitness ▪ Climbing Wall Mats
27	Maintenance ▪ Repair Supplies
28	Installation Services

SportsVenuePadding.com




Stadium Field Padding: Football

Impact protective padding from the end zones to the sidelines to the goal posts.

Several options are available:

- Available in 3", 4", 5", and 6" foam thicknesses to support the amount of protection required based on the field design - 3" is the current standard.
- Foam filler densities are specifically designed to ensure correct deceleration upon impact based on the athlete's projected speed before contact.
- UV-protected heavy-weight vinyl cover in a variety of colors is designed to protect from fading and early wear. Comes with a 5-year manufacturer's warranty.
- Vinyl is optimized for state-of-the-art digital printing of team logos, and sponsorship advertising.
- Sealed 3/4" thick plywood designed for long-term durability under all weather conditions.
- Environmentally conscious materials.
- Multiple secure surface attachment systems to fit any wall, fence, or column/post design.
- Easy to recover the foam to update the vinyl or change graphics and advertising.

Field padding incorporates **one-piece construction** wherever possible to promote a seamless appearance, which allows for greater **live area for digital printing**.



- One piece construction
- Easy to recover as needed






Football Indoor Training Facilities

- Indoor protective padding to custom fit the unique characteristics of your facility.
- Cut-outs for outlets, fire extinguishers, thermostats, 2- and 3-sided columns, drinking fountains, around indoor bleachers, and any other wall features in your facility.
- Foam fillers range from 1 3/8" - 3" and are available to meet fire standard E84, NFPA 101-255 Life Safety Code.
- Heavy-weight coated vinyl cover.
- Several attachment installation options are available.

Goal Post Padding

- Goal post padding can be made at any height.
- Foam filler density is designed for high impact protection and is available in 4", 5" or 6" thicknesses.
- UV-protected heavy-weight vinyl cover in a variety of colors is designed to protect from fading and early wear. Comes with a 5-year manufacturer's warranty.
- Available with Velcro, zipper, or grommet with lacing closures.
- Post padding made in round, square, or rectangular shapes.

***See page 27 for Adhesive Backed Vinyl Repair Kit and Revitalizer Pad Protectant**



www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Stadium Field Padding: Baseball • Softball


Impact protective padding for outfield/baseline walls and bullpens. Several options are available:

- Available in 3", 4", 5", and 6" thicknesses to support the impact protection required based on field design.
- Foam filler densities are specifically designed to ensure correct deceleration upon impact based on the athlete's projected speed before contact.
- UV-protected heavy-weight vinyl cover comes in a variety of colors and is designed to protect against fading and early wear. Comes with a 5-year manufacturer's warranty.
- Sealed 3/4" thick plywood designed for long-term durability under all weather conditions, environmentally conscious materials.
- Multiple secure surface attachment systems to fit any wall or fence design.


Field padding incorporates **one-piece construction** wherever possible to promote a seamless appearance, resulting in a greater **live area for digital printing** of team brands and sponsorship advertising. This makes it easy to recover the existing foam when updating padding or changing graphics and advertising.

***See page 27 for Adhesive Backed Vinyl Repair Kit and Revitalizer Pad Protectant**





**Laser
Measuring
Available**



www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Folding Backstop Padding

Folding backstop padding is quick and easy to install.

- Padding is filled with 2" high-density polyurethane and covered with heavy-weight coated vinyl with a 5-year manufacturer's warranty.
- Foam filler densities are specifically designed to ensure correct deceleration upon impact based on the athlete's projected speed before contact.
- UV-protected heavy-weight vinyl is designed to protect against fading and early wear and is available in a variety of colors with a 5-year manufacturer's warranty.
- Grommet flaps are on all four sides for attachment to chain link fencing or solid surfaces: concrete, wood, or masonry.
- Padding folds every two feet, making it lightweight and easy to store in the off-season.
- Feature your team logo or raise money with sponsorship advertising with our integrated digital printing.



***See page 27 for Adhesive Backed Vinyl Repair Kit and Revitalizer Pad Protectant**

www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Wood-backed Backstop Padding

Feature your team logo with our *integrated digital printing* using durable UV inks applied directly to your vinyl color.

- Several mounting options: masonry, concrete, wood backstop, or chain-link.
- Padding is filled with high-density polyurethane.
- Available in 3", 4", 5", and 6" thicknesses to support the amount of protection required based on field design.
- Foam filler densities are specifically designed to ensure correct deceleration upon impact based on the athlete's projected speed before contact.
- UV-protected heavy-weight vinyl is designed to protect against fading and early wear and is available in a variety of colors with a 5-year manufacturer's warranty.
- Environmentally conscious materials.



www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Bullpen • Baseline Padding

Baselines vary in height and typically have objects along the way that require specialized padding. Bullpens usually incorporate both vertical and horizontal padding along rails and fencing.

Our padding is built to accommodate and fit over all exposed areas for maximum protection.

- Available in 3", 4", 5", and 6" thicknesses to support the amount of protection required based on the field design — 3" is the current standard.
- Foam filler densities are specifically designed to ensure correct deceleration upon impact based on the athlete's projected speed before contact.
- Sealed 3/4" thick plywood provides long-term durability under all weather conditions.
- UV-protected heavy-weight vinyl is designed to protect against fading and early wear and is available in a variety of colors with a 5-year manufacturer's warranty.
- Vinyl is optimized for state-of-the-art digital printing of team brands and sponsor advertising.
- Multiple secure surface attachment systems to fit any wall or fence design.
- Baseline and bullpen padding has **one-piece construction** wherever possible to promote a seamless appearance, which allows for greater **live area for digital printing** and makes it easy to recover the foam.
- Environmentally conscious materials.





Windscreen

- Easily attaches to sports fencing with zip ties and/or hog rings.
- Provides shade, blocks wind, adds security, and creates a visual background for players (batter's eye).
- Can enclose fenced storage areas.
- Available in woven closed mesh polypropylene in either black or green, 80% or 90% shading.
- Available in an 80% shade polyester vinyl coated mesh that can be ordered with **integrated digital printing** to promote team brands, division league designations, championship recognition, or special messages.
- Non-absorbent to protect against water damage.
- High tensile strength adds to product durability.
- UV resistant to block sun damage.

Padded Field Signs

The process of applying **integrated digital printing** of logos or sponsor advertising is different from anything you have experienced before. No decals or paint to chip, peel, or tear during the season.

- Durable UV inks are applied directly to your vinyl color to create a beautiful billboard on field sidelines.
- Logo/Ad banners are attached to the front and/or back with Velcro on four sides and can be changed anytime.
- Complimentary graphic layout for your approval of artwork and field position.





Uni-Rail Padding

Offers great protection for the players. Can be used for dug-outs, baselines, and fence top padding.

- Our product is designed for your convenience. It's easy to install, and the closed-cell polyethylene high-impact foam can be hand-cut in the field to perfectly fit the unique features of your railing.
- A seamless vinyl top cover is available with or without **integrated digital printing** and is installed over the foam.
- The covers come with grommets evenly spaced for installation with industrial-strength cable ties or rope.
- UV-protected heavy-weight vinyl is designed to protect against fading and early wear and is available in a variety of colors with a 5-year manufacturer's warranty.
- The vinyl cover is easy to remove and replace at your convenience.
- Beautiful, seamless presentation is both smooth and tight.
- Durable and affordable.
- Available for 1 1/4" to 2 3/4" rails.


For other rail sizes, please ask us about other additional options.





Perma-Rail Padding

The most innovative development in **Dug-Out Rail Padding** is now available! This advancement includes the following unique advantages.

- Aluminum understructure designed to be a permanent fixture in your dug-out.
- Features a solid locking system to prevent rotation when leaned on by players.
- UV-protected heavy-weight vinyl is designed to protect against fading and early wear and is available in a variety of colors with a 5-year manufacturer's warranty.
- Closed cell polyethylene high-impact padding protection will not absorb water or sag over time.
- Solid, seamless top cover features a large 6" front face for team logo and/or sponsor advertising. The cover can be replaced as often as you like. It is easy to remove and re-install a new vinyl cover.
- Fits 1.5" to 3" dug-out rail.



**PATENT
PENDING**



www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Sliding Gate Pad

A creative field-level solution to conceal hinges on any wall with gates that swing into the field of play.

- Innovative gate padding slides easily to allow a full range of motion for the entire 90° opening.
- No exposed hinges. Great for installation on baselines, sidelines, or short walls where you normally see a break in the wall padding that exposes the hinges.
- Gate slides are encased in heavy-duty outdoor brackets developed specifically for commercial gate systems
- Designed for all gates that swing into the field of play.
- Provides uninterrupted appearance and can include **integrated digital printing**. You can easily put graphics across the hinge area.
- Specially designed commercial slides for all weather conditions.



Gate & Door Pads

Gate and door padding can be installed no matter which way a unit swings, and whether the unit is constructed of fencing with rails, metal sheeting, or wood. We will recommend the most practical, cost-effective design and method.



Automatic Wedge Field Gate Pad (Patent Pending)

Sports Venue Padding now offers a gate pad that provides safety, convenience, and the ability to present continuous graphics in all gated areas of your stadium.

- Available in any size with or without graphics.
- Designed for all gates that swing into the field of play.
- Wedge pad covers and protects exposed hinges that can cause injury to the players.
- The automatic hinged feature eliminates the need to manually remove a vinyl cover or sewn wedge pads that are attached with Velcro.
- The hinged pad returns to a closed position automatically when a gate is closed.
- Provides seamless appearance and can include **integrated digital printing**. You can easily put graphics across the hinge area.



**A PATENTED SOLUTION
OFFERED BY
SPORTS VENUE PADDING**




www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Sponsor Advertising


Our *integrated digital oversized printing* of logos or sponsor advertising is different from anything you have experienced before. No decals or paint to chip, peel, or tear during the season.




- Durable UV Inks are applied directly to your vinyl color to create a beautiful billboard on field walls or rails.
- Pads can be re-wrapped if graphics need to be changed or updated.
- Complimentary graphic layout for your approval of artwork and field position.



Here's how simple the process works:

- **STEP 1** - A complete field layout is created for your approval by our in-house art/design team displaying all your team/sponsor signage.
- **STEP 2** - An individual lay-out of the team/sponsor signage with dimensions is created for your approval by our in-house art/design team prior to production.
- **STEP 3** - We go into production of the new wall pads or replacement vinyl covers with the approved files for installation as per the completed field lay-out.





Wall Padding

- Indoor wall padding is available at any height and is produced in 2' wide panels.
- Many filler densities, thicknesses, and combinations are available to meet all safety requirements.
- Covers are made with an 18 oz. coated vinyl.
- Durable backer board for attachment to walls.
- Cut-outs for outlets, fire extinguishers, thermostats, 2- and 3-sided columns, drinking fountains, around indoor bleachers and stairways, and any other wall features in your facility.
- Wall padding options include meeting E84-NFP 101/255 fire-lifestyle safety regulations.
- Can be **digitally printed with our integrated print system** with team logos, sponsor advertising, or special messages.

Complimentary design layouts let you choose the look you want.



www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Indoor Gymnasium

Training Facility Padding

- Indoor wall padding is available at any height and is produced in 2' wide panels.
- Many filler densities, thicknesses, and combinations are available to meet all safety requirements.
- Covers are made with an 18 oz. coated vinyl.
- Durable backer board for attachment to walls.
- Cut-outs for outlets, fire extinguishers, thermostats, 2- and 3-sided columns, drinking fountains, around indoor bleachers, and any other wall features in your facility.
- Wall padding option meets E84-NFPA 101/255 fire-lifestyle safety regulations.




Fire Resistant

- Can be digitally printed with our **integrated print system** with team logos, sponsor advertising, championships, school achievements, or special messages.
- Complimentary design layouts let you choose the look you want.


Wall Padding Mounting Options

Unless otherwise specified by a customer, all standard wall pads are made with 1" lip top and bottom). Here are additional mounting options:


- 1" lip on top and bottom (industry-standard) installed directly onto the wall using appropriate bolts.
- Z-Channel on top and 1" lip bottom—the best aesthetic look with pads secured to the wall on the bottom allowing no side-to-side movement for installations that are not wall-to-wall.
- Z-Channel on top and bottom (no lips) is best for wall-to-wall installations.





1" Vinyl Encased Attachment
Lip at Top & Bottom
Economical



Z-Channel at Top
1" Vinyl Encased Attachment
Lip at Bottom
Recommended



4-Piece Aluminum
Z-Channel at Top & Bottom
Clean & frameless



www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com


Wall Padding ▪ Corners & Cut-outs

- Padding cut-outs come in any size or shape to allow access to wall features that cannot otherwise be covered up: electrical panels, outlets, fire extinguishers, defibrillators, door handles, etc.
- Padding can wrap around corners, columns, odd shapes, and protrusions along the wall space.



Post ▪ Goal Padding and Wraps

- Available in 4", 5" and 6" thicknesses.
- The standard height is 6'; pads are available at any height
- Foam filler density specifically designed to provide the correct impact protection.
- Covered in heavy-weight coated vinyl.
- Vinyl is optimized for state-of-the-art *integrated digital printing* of school logos.
- Complimentary designs provided for your approval.
- Three types of closures are available - Velcro, zipper, or grommet flaps.




www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

Post Padding Wraps

- **Integrated Digital Printing** in your color vinyl on our large format digital printing system.
- Designed to wrap around existing post padding that can be removed to store after a game.
- Heavy weight coated vinyl are standard, also available in 5-year warranty heavy weight vinyl.
- Velcro closure for ease of install and removal.
- Measure circumference by wrapping a string.
- around your existing pads, please provide height, too.



How to Measure for Graphic Wraps (Round Pads Only)

Determine the wrap size by measuring the pad's circumference (not the pole). Wrap a string around the existing pad, then measure the string. Our SVP team will determine the correct size of the wrap for your order.

www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com


Column Padding

- 3-sided columns, angled/tapered columns, or I-Beams require specially designed solutions to fit.
- Foam filler ranges in thickness and density based on the probable impact by players and closeness to the activity.
- Covered in heavy-weight coated vinyl.
- 2- or 3-sided column pads are wood-backed with durable backer board.
- I-Beam padding is available with or without wood backing, depending on location and size.



Column Pads

Column pads that are unique in size and shape are considered custom. Please provide dimensions for the points listed on diagram.



I-Beam Pads

I-Beam pads can provide protection on steel columns protruding into your usable space. Installation is easy. Pads fit snugly around the face of the beam and are held securely in place with self-adhesive hook and loop fasteners. A standard size pad has an 8" face (A) and a 6' height (B). Custom sizes can be fabricated to your specifications.

Custom Padding

Every facility has areas that require special padding to cover doors, gates, electrical boxes, camera wells, concrete curbs, vertical posts, special seating areas, and more.

- Field wall and surface irregularities require the development of special padded boxes, L-Shaped padding, round shaped padding, or cut-outs to cover exposed areas.
- Replacement **seat padding** built to fit your specific seat design.
- **Seatback Slip Covers** to promote team logo or sponsor advertising.
- Sectional **weather protection covers** to protect your seats during harsh weather conditions.
- Mesh section covers to close off unused areas, allowing them to become great advertising vehicles.
- Bench padding for dug-outs.
- Plate, mound, or turf covers.
- Scoreboard, rotational, and pitch clock top padding.



Seat Covers with Storage Solution



Rotational Padding

Fitness ▪ Exercise Mats


- All Mats are available in widths and lengths to meet your needs. Typical sizes are 2'x6', 4'x8', 5'x10' and 6'x12'.
- Mats can be ordered folding or non-folding
- Several options are available for the density and thickness of the interior foam: 1" thick up to 24" thick, depending on how the mats will be used.
- Heavy-weight coated vinyl cover.
- Vinyl is optimized for state-of-the-art **integrated digital printing**.
- All mat products can be digitally printed with messages, logos, exercise programs, or images of your choice. Minimum quantities apply.
- Made in America. Not an imported product.



Climbing ▪ Bouldering Wall Mats

- Mats are made to fit the design of your wall or to cover the entire length of your wall.
- Mats can be ordered folding or non-folding.
- Several options are available for the density and thickness of the interior foam.
- Heavy-weight coated vinyl cover. Vinyl is optimized for **integrated digital printing**.
- Wall attachment systems are created based on the design of your wall.

- 4 ¾" mats meet the ASTM F 1292 recommended performance requirements with a drop height of up to 13 feet.
- 8" mats meet the ASTM F 1292 recommended performance requirements with a drop height of up to 14 feet.
- Combo mats meet the ASTM F 1292 recommended performance requirements with a drop height of 6 feet.



Examples of custom hanging options available for additional cost

www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com

SVP Vinyl Revitalizer

- Formulated to make your facility look new and shiny for athletic events.
- Revitalizer contains humectants and silicone that protects and replenishes moisture on outdoor vinyl-covered products.
- Product is non-flammable, non-toxic, and is a non-corrosive water emulsion product.
- Padding should be cleaned before applying Revitalizer.
- Will not harm digitally printed images on the vinyl; **not recommended for adhesive-applied decals.**
- Sold in 4-gallon case.



Vinyl Cleaner

- A disinfectant vinyl cleaning solution that can be used on any vinyl pad.
- Can be used on graphic printed or silk-screened images.
- Will not harm the material or leave a sticky residue.
- Sold per gallon or in concentrate.



Sports Padding Adhesive-Backed Vinyl Repair Kit

*****Matches Your Pad Color*****

- An innovative solution to patch tears in your vinyl.
- Will **match** padding color ordered through Sports Venue Padding.
- Vinyl is laminated to 3M adhesive backing in the color ordered from SVP.
- Patches are air-tight and water-tight.
- Sold per roll. Length and size based on the type of padding ordered.



www.SportsVenuePadding.com

P: 562.926.0835 T: 877.599.6855 E: info@svpadding.com



Installation Services

One of our core competencies is the quality of our factory installation services. We tailor our products to fit the unique characteristics of your facility walls or fences:

- **Field Measure** - Prior to the installation, our skilled team will perform a comprehensive field visit to identify the specific needs of your sports facility. We often use a laser measuring system to convert specs to CAD production documents.
- **Factory On-site Installation Team** - We send our factory-trained team to your facility for a complete turnkey installation.
- **Factory Instructions** - Our staff provides thorough, detailed instructions for customer installations.
- **Safety** - SVP complies with local building codes and health and safety regulations. Our project team is OSHA 10 & 30 hour compliant.



Sports Venue Padding, Inc.

P: 562.926.0835 Toll Free: 877.599.6855 Fax: 877.599.9335

www.SportsVenuePadding.com

E: info@svpadding.com